



Smart. Bright. Affordable - The Future of LED Lighting

LED Product Catalogue



RESIDENTIAL | COMMERCIAL |
INDUSTRIAL | SMART



About Us:

OHAS Electric Pvt. Ltd. delivers high-quality LED lighting solutions across residential, commercial, and industrial sectors. Backed by in-house R&D, testing, and manufacturing, we ensure every product meets top-tier standards of durability, safety, and performance. Our commitment to innovation and customer satisfaction drives everything we do.

**For personalised Lux Value
recommendations for space,
visit  www.ohas.in**



Lighting Calculator

IT Office, Reading (350 Lux)

Measurements Units ☐ Feet ☐ Meters

Length	50
--------	----

Width 50



Height	12
--------	----

Illumination Intensity ☒ Low ☐ Medium ☐

Wall Color ☒ Light ☐ Dark

Calculate

75325 Lumens will be required for a 2500 square - foot area to achieve 200 Lux



GOVERNMENT OF INDIA
MINISTRY OF CORPORATE AFFAIRS
Central Registration Centre
Certificate of Incorporation

The Corporate Identity Number of the company is U27400UP2023PTC177562
The Permanent Account Number (PAN) of the company is AADCO9888M
The Tax Deduction and Collection Account Number (TAN) of the company is MRLT0022740


Digitally signed by DS MINISTRY OF CORPORATE AFFAIRS 10
Date: 2023.02.20 14:34:32 IST

CHAS ELECTRIC PRIVATE LIMITED
G-87, SECTOR-85 G.B. NAGAR, WY, Noida Noida (Gautam Buddha Nagar)-201301 Uttar Pradesh


Incorporation Certificate



**ISO 9001:2015
Certified**



MSME Certificate



GST Certificate

Recess Down Light
PowerLite Series



Lum >90 lm/W



CRI >80



Surge | 4 KV



Wide Angle




Energy Efficient



IP | 40

Wattage	Code	Cut-Out	Master Box	MRP
7W	DL25-07W CW	3 inch	60	₹ 80
9W	DL25-09W CW	3 inch	60	₹ 101
7W	DL25-09W Colour	3 inch	60	₹ 105

Recess Down Light
PowerLite Series



Lum >90 lm/W



CRI >80



Surge | 4 KV



Wide Angle



Energy Efficient



IP | 40

Wattage	Code	Cut-Out	Master Box	MRP
12W	DL25-12W CW	4 inch	60	₹ 183
15W	DL25-15W CW	5 inch	60	₹ 200
12W	DL25-12W Colour	4 inch	60	₹ 200

Junction Box Down Light

PowerLite Series



Lum >90 lm/W



CRI >80



Surge | 4 KV



Wide Angle



Energy Efficient




IP | 40

Wattage	Code	Cut-Out	Master Box	MRP
3W	DL25-03W CW	2 inch	100	₹ 70
5W	DL25-05W CW	2 inch	100	₹ 74
5W	DL25-05W Colour	2 inch	100	₹ 74

Surface Down Light

PowerLite Series



Lum >90 lm/W



CRI >80



Surge | 4 KV



Wide Angle



Energy Efficient



IP | 40

Wattage	Code	Mountin	Master Box	MRP
7W	DLS25-07W CW	Twist & lockfit	60	₹100
9W	DLS25-09W CW	Twist & lockfit	60	₹120
7W	DLS25-07W Colour	Twist & lockfit	60	₹120

COB Downlight Tiny
BoldRay Series



Lum >100 lm/W



CRI >90



Surge | 4 KV



Wide Angle



Energy Efficient



IP | 40

Wattage	Code	Cut-Out	Master Box	MRP
7W	DL36-7W	2.5inch	20	₹ 501
12W	DL36-12W	3 inch	20	₹ 667
18W	DL36-18W	4inch	20	₹ 1123

COB Downlight Deep
BoldRay Series



Lum >100 lm/W



CRI >90



Surge | 4 KV



Wide Angle



Energy Efficient



IP | 40

Wattage	Code	Cut-Out	Master Box	MRP
10W	DL37-10W	3 inch	12	₹ 670
20W	DL37-20W	4 inch	12	₹ 1150
30W	DL37-30W	5 inch	12	₹ 1350

COB Downlight Glare Free

BoldRay Series



Lum >100 lm/W



CRI >90



Surge | 4 KV



Wide Angle



Energy Efficient



IP | 40

Wattage	Code	Cut-Out	Master Box	MRP
7W	DL38-7W	2.5inch	20	₹ 601
12W	DL38-12W	3 inch	20	₹ 767
18W	DL38-18W	4inch	20	₹ 1223

COB Downlight Spot

BoldRay Series



Lum >100 lm/W



CRI >90



Surge | 4 KV



Wide Angle



Energy Efficient



IP | 40

Wattage	Code	Cut-Out	Master Box	MRP
5W	DL39-10W	1 inch	12	₹ 400
7W	DL39-20W	1.2 inch	12	₹ 500

COB Track Light

BoldRay Series



Lum > 100 lm/W



CRI > 90



Surge | 4 KV



Wide Angle



Energy Efficient



IP | 40

Wattage	Code	Mounting	Master Box	MRP
10W	TRKL-10W	Track	20	₹ 789
20W	TRKL-20W	Track	10	₹ 1092
30W	TRKL-30W	Track	10	₹ 1320
Track	TRACK-1 Mtr	₹ 789	TRACK-2 Mtr	₹ 1092

COB Cylinder Light

BoldRay Series



Lum > 100 lm/W



CRI > 90



Surge | 4 KV



Wide Angle



Energy Efficient



IP | 40

Wattage	Code	Cut-Out	Master Box	MRP
7W	CYLINDER-7	Twist & lockfit	20	₹ 501
12W	CYLINDER-12	Twist & lockfit	10	₹ 667
18W	CYLINDER-18	Twist & lockfit	10	₹ 1123
18W	CYLINDER-18 Slim	Twist & lockfit	10	₹ 1123



5M 240 LED Strip
Neo-Strip



Lum >120 lm/W



CRI >90



Surge | 2 KV



Wide Angle



Energy Efficient



IP | 20

Wattage		Code	Mounting	Master Box	MRP
12VDC		RL240-5M	Tapping	100	₹ 394
12VDC		RL240-5M -Colour	Tapping	100	₹ 410
SMPS	Wattage	Code	MRP	Code	MRP
5 Amp	30W	SMPS-5A Pro	₹ 455	SMPS-5A Eco	₹ 334
10 Amp	100W	SMPS-10A Pro	₹ 576	SMPS-10A Eco	₹ 576
16 AmP	200W	SMPS-16A Pro	₹ 1123	SMPS-16A Eco	₹ 1123
33 AmP	400W	SMPS 33A Pro	₹ 1760	SMPS-33A Pro	₹ 1760

50 Mtr IP65 Rope
Neo-Rope



Lum >100 lm/W



CRI >80



Surge | 2 KV



Wide Angle



Energy Efficient



IP | 65

Wattage	Code	Size	Master Box	MRP
240V DC	RL120-50M WW	50M	1	₹ 6978
240V DC	RL120-50M Color	50M	1	₹ 7282
240V DC	RL120-50M Tri Colour	18M	1	₹ 3641

Rafel Street Light

BrightMax Series



Lum >110 lm/W



CRI >80



Surge | 6 KV



Type-II



Energy Efficient



IP | 66

Wattage	Code	Max Pole Dia	Master Box	MRP
20W	SLLR-24W CW	1.5inch	25	₹ 749
30W	SLLR-30W CW	1.5inch	25	₹ 877
50W	SLLR-50W CW	2.0inch	20	₹ 1120
100W	SLLR-100W CW	2.0inch	20	₹ 1948

Pro Street Light

BrightMax Series



Lum >110 lm/W



CRI >80



Surge | 6 KV



Type-II



Energy Efficient



IP | 66

Wattage	Code	Max Pole Dia	Master Box	MRP
20W	SLL-20W CW	1.5inch	25	₹ 850
30W	SLL-30W CW	1.5inch	25	₹ 1032
50W	SLL-50W CW	2.0inch	20	₹ 1502
100W	SLL-100W CW	2.0inch	20	₹ 2685

LED Flood Light Lens

BrightMax Series



Lum >110 lm/W



CRI >80



Surge | 6 KV



Type-II



Energy Efficient



IP | 66

Wattage	Code	Mounting	Master Box	MRP
50W	FLL-50 CW	Cradle	20	₹ 1195
100W	FLL-100 CW	Cradle	10	₹ 2121
200W	FLL-200 CW	Cradle	10	₹ 3623

LED Flood Light Glass

BrightMax Series



Lum >110 lm/W



CRI >80



Surge | 6 KV



Type-II



Energy Efficient



IP | 66

Wattage	Code	Mounting	Master Box	MRP
30W	FLG-30W CW	Cradle	14	₹ 986
50W	FLG-50W CW	Cradle	8	₹ 1262
100W	FLG-100W CW	Cradle	6	₹ 2033
250W	FLG-250W CW	Cradle	4	₹ 5762

LED Flood Light SE

SE-BrightMax Series



Lum >110 lm/W



CRI >80



Surge | 6 KV



Wide Angle



Energy Efficient



IP | 66

Wattage	Code	Mounting	Master Box	MRP
50W-SE	FLGS-100W CW	Cradle	20	₹ 960
100W-SE	FLGS-100W CW	Cradle	10	₹ 1563
200W-SE	FLGS-250W CW	Cradle	8	₹ 3064

RGB Flood Light

BrightMax RGB Series



Lum >110 lm/W



CRI >80



Surge | 6 KV



Wide Angle



Energy Efficient



IP | 66

Wattage	Code	Mounting	Master Box	MRP
50W	FLG RGB-50	Cradle	10	₹ 2973
100W	FLG RGB-100	Cradle	10	₹ 4187

2 Direction Wall Light

Nova-Duo



Lum >80 lm/W



CRI >80



Surge | 4 KV



Narrow Angle



Energy Efficient



IP | 66

Wattage	Code	Mounting	Master Box	MRP
3W	WALL-02-4W WW	Screw	50	₹ 495
6W	WALL-02-6W WW	Screw	50	₹ 637
12W	WALL-02-12W WW	Screw	50	₹ 810

Klite Wall Mounted

Nova -Klit



Lum >80 lm/W



CRI >80



Surge | 4 KV



Narrow Angle



Energy Efficient



IP | 66

Wattage	Code	Mounting	Master Box	MRP
6W	KL-22-06W WW	Screw	50	₹ 422
12W	KL-22-12W WW	Screw	50	₹ 570

4 Direction Wall Light

Nova 4 Direction



Lum >80 lm/W



CRI >80



Surge | 4 KV



Narrow Angle



Energy Efficient



IP | 66

Wattage	Code	Mounting	Master Box	MRP
6W	WALL-6W WW	Wall	50	₹ 637
6W	WALL C-6W WW	Wall	50	₹ 667

COB Spike Light

Nova Spike



Lum >80 lm/W



CRI >80



Surge | 4 KV



Narrow Angle




Energy Efficient



IP | 66

Wattage	Code	Mounting	Master Box	MRP
6W	SPIKE-6W WW	Ground	20	₹ 622
12W	SPIKE-12W WW	Ground	20	₹ 740
18W	SPIKE-18W WW	Ground	10	₹ 1214

Highbay Light
LiteBay



Lum >110 lm/W



CRI >80



Surge | 6 KV



Narrow Angle



Energy Efficient



IP | 66

Wattage	Code	Mounting	Master Box	MRP
100W	HBL-21-100	EyeBolt-Cradle	8	₹2,576
150W	HBL-21-150	EyeBolt-Cradle	6	₹4,521
200W	HBL-21-200	EyeBolt-Cradle	6	₹5,461
250W	HBL-21-250	EyeBolt-Cradle	4	₹6,675

2x2 Panel
OfficeLux



Lum >110 lm/W



CRI >80



Surge | 4 KV



Narrow Angle



Energy Efficient



IP | 20

Wattage	Code	Mounting	Master Box	MRP
36W	PL31-36W CW	Celling Rec,	6	₹1,608
48W	PL31-48W CW	Celling Rec.	6	₹1,608

TERMS & CONDITIONS

- All MRPs are listed in INR and are inclusive of GST.
- Warranty is applicable as per the OHAS ELECTRIC warranty policy.
- Prices are subject to change without prior notice.
- All prices adhere to the general terms and conditions of OHAS ELECTRIC.
- This price list supersedes any previously issued versions.
- While every effort has been made to ensure the accuracy of technical and commercial information, discrepancies may occur.
- Specifications and performance data are subject to continuous updates. Please verify details with our team before purchase.
- OHAS ELECTRIC reserves the right to amend prices or specifications due to updates or errors.
- Product specifications are subject to change without notice due to ongoing technological advancements.

Application	Low (Lux)	Medium (Lux)	High (Lux)
Warehouse	140	377	614
Assembly Area	280	480	680
Flood Light Application	250	500	1000
Conference Room / Meeting Room	330	530	770
IT Office Reading	250	350	450
General Office Area	180	200	250
Supermarket / Showroom	667	1000	2153
General Shop Display	350	663	1076
Restaurant	150	320	560
Hospital	150	220	350
Library	450	581	1184
Bedroom / Living Room	129	183	237
Home (Comfort / Indirect Lighting)	129	170	270
Kitchen / Dressing Area	344	450	500

Lighting Guidance:

- High Lux Level** – Ideal for precise work, reading, and environments requiring high attention. Recommended for elderly individuals.
- Medium Lux Level** – Suitable for regular working hours; provides visual comfort and reduces eye fatigue.
- Low Lux Level** – Best for relaxed settings or minimal tasks; preferred by younger individuals for comfort.



Head Office
OHAS ELECTRIC
 G-97, Sector 63,
 Noida, Uttar Pradesh – 201301

LED LIGHTING CATALOGUE

Email: sales@ohas.com | Mobile: **+91-9810197106, 9971863597**

Visit Us: www.ohas.in | Follow us on: